Contents

Number 1, January 1987

Papers

1 The disposition of amodiaquine in man after oral administration: *P. Winstanley, G. Edwards, M. Orme & A. Breckenridge*

9 Accumulation of caffeine in healthy volunteers treated with furafylline: *E. Tarrus, J. Cami, D. J. Roberts, R. G. W. Spickett, E. Celdran & J. Segura*

19 Detection of sputum eicosanoids in cystic fibrosis and in normal saliva by bioassay and radioimmunoassay: *J. T. Zakrzewski, N. C. Barnes, P. J. Piper & J. F. Costello*

29 The acute haemodynamic effects of intravenous enalaprilic acid (MK422) in patients with left ventricular dysfunction: *R. S. Hornung & W. S. Hillis*

35 Immediate haemodynamic effects of a novel partial agonist, β_1-adrenoceptor blocking drug ICI 141 292 after intravenous administration to healthy young volunteers and patients with ischaemic heart disease: *J. Bonde, T. L. Svendsen, K. Lyngborg, J. Mehlsen & J. Trap-Jensen*

41 Quantitative and qualitative binding characteristics of disopyramide in serum from patients with decreased renal and hepatic function: *L. E. Pedersen, J. Bonde, N. A. Graudal, N. V. Backer, J.-E. S. Hansen & J. P. Kampmann*

47 Nimodipine disposition and haemodynamic effects in patients with cirrhosis and age-matched controls: *F. M. Gengo, S. C. Fagan, G. Krol & H. Bernhard*

55 The effects of naproxen and sulindac on renal function and their interaction with hydrochlorothiazide and piretanide in man: *J. J. Dixey, F. H. Noormohamed, A. F. Lant & D. A. Brewerton*

65 The mechanism of salbutamol-induced hypokalaemia: *K. F. Whyte, G. J. Addis, R. Whitesmith & J. L. Reid*

73 Conclusiveness of rechallenge in the interpretation of adverse drug reactions: *M. Girard*

Short reports

81 Extracts of feverfew inhibit mitogen-induced human peripheral blood mononuclear cell proliferation and cytokine mediated responses: a cytotoxic effect: *L. A. J. O'Neill, M. L. Barrett & G. P. Lewis*

84 Absence of a pharmacokinetic interaction between enalapril and frusemide: *A. M. Van Hecken, R. Verbesselt, A. Buntinx, V. J. Cirillo & P. J. de Schepper*

88 Effect of enalapril on skin response to bradykinin in man: *R. W. Fuller, J. B. Warren, M. McCusker & C. T. Dollery*

91 The effect of an angiotensin converting enzyme inhibitor, ramipril, on bronchial responses to inhaled histamine and bradykinin in asthmatic subjects: *C. M. S. Dixon, R. W. Fuller & P. J. Barnes*

94 Estimating the clearance of amylobarbitone from a single plasma measurement: *K. Bachmann*

99 Nefopam excretion in human milk: *D. T. Y. Liu, J. M. Savage & D. Donnell*

Letters to the Editors

103 The effects of moderate sustained exercise on the pharmacokinetics of nitroglycerin: *S. Weber, D. de Lauture, E. Rey, T. Darragon, J. P. Severins, A. Ditisheim, G. Olive & M. Degeorges*

105 Nizatidine (300 mg nocte) does not interfere with diazepam pharmacokinetics in man: *U. Klotz, H. G. Dammann, W. R. Gottlieb, Th. A. Walter & P. Keohane*

Proceedings

107 Proceedings of the British Pharmacological Society (The Hatfield Polytechnic, 10–12 September 1986)

Number 2, February 1987

Papers

127 Pharmacokinetics of intravenous amodiaquine: *N. J. White, S. Looareesuwan, G. Edwards, R. E. Phillips, J. Karbwang, D. D. Nicholl, C. Bunch & D. A. Warrell*

137 Preliminary studies of the pharmacokinetics and pharmacodynamics of prochlorperazine in healthy volunteers: *W. B. Taylor & D. N. Bateman*

143 Pharmacokinetics of imipenem and cilastin after their simultaneous administration to the elderly: *S. Toon, K. J. Hopkins, F. M. Garstang, L. Aarons & M. Rowland*

151 Antihypertensive effect of single doses of enalapril in hypertensive patients treated with bendrofluazide: *J. Webster, D. Newnham, O. J. Robb & J. C. Petrie*

159 Haemodynamic and humoral effects of oral peridopril, an angiotensin converting enzyme inhibitor, in man: *K. R. Lees & J. L. Reid*

165 A haemodynamic and radionuclide assessment of diltiazem in coronary heart disease: *B. Silke, S. K. Sharma, S. P. Verma, K. A. Midtbo, G. Reynolds & S. H. Taylor*

173 Differences between acute and long-term metabolicc and endocrine effects of oral β-adrenoceptor agonist therapy with pirbuterol for cardiac failure: *R. Canepa-Anson, J. R. Dawson,*

P. Kuan, P. A. Poole-Wilson, G. C. Sutton, B. Cockrill & S. R. Reuben

183 The respiratory effects of oral ethyl loflazepate in volunteers: *E. J. Fazackerley, N. P. C. Randall, B. J. Pleuvry, I. Bradbrook & G. E. Mawer*

189 Naproxen pharmacokinetics in patients with rheumatoid arthritis during active polyarticular inflammation: *F. A. van den Ouweland, M. J. A. M. Franssen, L. B. A. van de Putte, Y. Tan, C. A. M. van Ginneken & F. W. J. Gribnau*

195 Benoxaprofen—adverse reactions and monitoring in general practice: *P. G. Newrick & D. Bainton*

199 The analysis of dose-response curves—a practical approach: *S. H. D. Jackson, M. J. Jamieson A. Johnston & A. M. M. Shepherd*

207 Differential effects of the anxiolytic drugs, diazepam and buspirone, on memory function: *I. Lucki, K. Rickels, M. A. Giesecke & A. Geller*

213 *N*-Desmethylclobazam: a possible alternative to clobazam in the treatment of refractory epilepsy?: *J. R. M. Haigh, T. Pullar, J. P. Gent, C. Dailley & M. Feely*

219 Acute and subchronic effects of Org 2305 and diazepam on psychomotor performance in man: *M. J. Mattila, J. Koski & C. Strömberg*

Short reports

229 Metabolism of azathioprine to 6-thioguanine nucleotides in patients with pemphigus vulgaris: *L. Lennard, C. I. Harrington, M. Wood & J. L. Maddocks*

234 The effect of topical dimethindene maleate on weal reactions: *F. Humphreys & S. Shuster*

237 Intravenous bumetanide attenuates the rise in plasma vasopressin concentrations during major surgical operations: *L. Kaufman & P. M. Bailey*

241 Intravenous midazolam for upper gastrointestinal endoscopy: a study of 800 consecutive cases relating dose to age and sex of patient: *G. D. Bell, G. P. Spickett, P. A. Reeve, A. Morden & R. F. A. Logan*

Letters to the Editors

245 Antagonism of phenylephrine-evoked sweating by trazodone and amitriptyline in humans *in vivo*: *J. Longmore, W. Banjar, E. Szabadi & C. M. Bradshaw*

246 Effect of posture on glyceryl trinitrate plasma concentrations following transdermal application: *R. Heidemann, C. Beckenbauer & B. G. Woodcock*

248 Food and nifedipine pharmacokinetics: *V. F. Challenor, D. G. Waller, B. S. Gruchy, A. G. Renwick & C. F. George*

Number 3, March 1987

Editorials

251 The Royal College of Physicians of London Reports: *C. F. George*

253 The academic clinical pharmacologist and the London Royal College of Physicians Report on the relationship between physicians and the pharmaceutical industry: *D. R. Laurence*

257 Relationships between physicians and the pharmaceutical industry: London College of Physicians 1986: *J. H. Shelley*

Papers

259 Relationships between heart rate and PR interval during physiological and pharmacological interventions: *S. G. Carruthers, B. McCall, B. A. Cordell & R. Wu*

267 Decreased plasma concentrations and clinical effects of alprenolol during combined treatment with pentobarbitone in hypertension: *P. Seideman, K.-O. Borg, K. Haglund & C. Von Bahr*

273 Midazolam: kinetics and effects on memory, sensorium, and haemodynamics: *S. Langlois, J. H. Kreeft, G. Chouinard, A. Ross-Chouinard, S. East & R. I. Ogilvie*

279 The effects of intrathecal midazolam on sympathetic nervous system reflexes in man—a pilot study: *C. S. Goodchild & J. Noble*

287 Glyceryl-1-nitrate pharmacokinetics in healthy volunteers: *H. Laufen & M. Leitold*

295 The disposition of chloroquine in healthy Nigerians after single intravenous and oral doses: *O. Walker, L. A. Salako, G. Alván, Ö. Ericsson & F. Sjöqvist*

303 Pharmacokinetics of idarubicin (4-demethoxydaunorubicin; IMI-30: NSC 256439) following intravenous and oral administration in patients with advanced cancer: *H. C. Gillies, D. Herriott, R. Liang, K. Ohashi, H. J. Rogers & P. G. Harper*

311 Ranitidine and cimetidine: drug interactions with single dose and steady-state nifedipine administration: *S. R. Smith, M. J. Kendall, J. Lobo, A. Beerahee, D. B. Jack & M. R. Wilkins*

317 The effect of cimetidine on the single dose pharmacokinetics of oral clobazam and *N*-desmethylclobazam: *T. Pullar, D. Edwards, J. R. M. Haigh, S. Peaker & M. P. Feely*

323 Additive renal effects of indomethacin and dipyridamole in man: *P. Seideman, A. Sollevi & B. B. Fredholm*

331 Intravenous infusion of adenosine but not inosine stimulates respiration in man: *P. G. Reid, A. H. Watt, P. A. Routledge & A. P. Smith*

Short reports

339 Effect of β-adrenoceptor blockade on exercise-induced plasma catecholamine concentrations and their dissipation profile: *A. Ohnishi, A. Minegishi, T. Sasaki, T. Suganuma & T. Ishizaki*

344 Effects of time of dosing and age on intravenous

aminophylline pharmacokinetics: *A. Rodgers, K. W. Woodhouse & D. N. Bateman*
348 Salivary paracetamol elimination kinetics during the menstrual cycle: *L. Somaja & Joseph Thangam*
351 Lack of effect of smoking on the metabolism and pharmacokinetics of quinidine in patients: *D. J. Edwards, J. E. Axelson, J. P. Visco, S. van Every, R. L. Slaughter & D. Lalka*
355 Age-related changes in trimethadione oxidizing capacity: *E. Tanaka, A. Ishikawa, A. Ono, T. Okamura & S. Misawa*
358 Antipyrine metabolism in acute hepatic porphyria in relapse and remission: *G. G. Birnie, K. E. L. McColl, G. G. Thompson, M. R. Moore, A. Goldberg & M. J. Brodie*
362 Prescribing habits for children with acute gastroenteritis: a comparison over 5 years: *I. A. Choonara, E. E. Shoo & G. G. Owens*
365 Release of 5-aminosalicylic acid from Pentasa® during normal and accelerated intestinal transit time: *L. A. Christensen, O. Slot, G. Sanchez, J. Boserup, S. N. Rasmussen, S. Bondesen, S. H. Hansen & E. F. Hvidberg*

Letters to the Editors
371 A simple method for the administration of doxapram: *M. Mattila & I. Larma*
373 Recent experience of ethics committee review of a multicentre research project: *J. J. Ashford*

Number 4, April 1987

Editorials
375 Research on healthy volunteers—a report of the Royal College of Physicians: *D. W. Vere*
379 Research on healthy volunteers—a report of the Royal College of Physicians: *J. D. Harry*

Papers
383 Effects of β-adrenoceptor blockade on heart rate and physiological tremor in diabetics with autonomic neuropathy: a comparative study of epanolol, atenolol and pindolol: *W. Reid, D. J. Ewing, J. D. Harry, H. J. Smith, J. M. M. Neilson & B. F. Clarke*
391 Effects of felodipine on haemodynamics and exercise capacity in patients with angina pectoris: *J. V. Sheridan, P. Thomas, P. A. Routledge & D. J. Sheridan*
397 Effect of guanfacine on ambulatory blood pressure and its variability in elderly patients with essential hypertension: *A. G. Dupont, P. Vanderniepen & R. O. Six*
403 The pharmacokinetics of enalapril in hospitalized patients with congestive heart failure: *K. Dickstein, A. E. Till, T. Aarsland, K. Tjelta, A. M. Abrahamsen, K. Kristianson, H. J. Gomez, H. Gregg & M. Hichens*
411 The assessment of the β-adrenoceptor blocking activity and cardioselectivity of H-I 42 BS, a long acting β-adrenoceptor blocking drug: *T. H. Pringle, A. H. Deering, M. G. Scott, D. W. G. Harron & R. G. Shanks*
425 The renal, cardiovascular and hormonal actions of human atrial natiuretic peptide in man; effects of indomethacin: *I. Miyamori, M. Ikeda, T. Matsubara, S. Okamoto, H. Koshida, S. Yasuhara, T. Morise & R. Takeda*
433 Selective and extremely long inhibition of prolactin release in man by 1-ethyl-3-(3′-dimethylaminopropyl)-3-(6′-allylergoline-8′-β-carbonyl)-urea-diphosphate (FCE 21336): *A. E. Pontiroli, G. C. Viberti, R. Mangili, L. Cammelli & A. Dubini*
439 Age-dependence and free fatty acid modulation of binding kinetics at the benzodiazepine binding site of serum albumin in neonates and adults determined using fast reaction methods: *G. Menke, P. Pfister, S. Sauerwein, I. Rietbrock, B. G. Woodcock & N. Rietbrock*
447 The metabolism of 17 α-ethinyloestradiol by human liver microsomes: formation of catechol and chemically reactive metabolites: *H. S. Purba, J. L. Maggs, M. L'E. Orme, D. J. Back & B. K. Park*
455 Chromosomal assignment of human cytochrome P-450 (desbrisoquine/sparteine type) to chromosome 22: *M. Eichelbaum, M. P. Baur, H. J. Dengler, B. O. Osikowska-Evers, G. Tieves, C. Zekorn & C. Rittner*
459 A quinine a day keeps the leg cramps away?: *A. Warburton, J. P. Royston, C. J. A. O'Neill, P. W. Nicholson, R. D. Jee, M. J. Denham, S. M. Dobbs & R. J. Dobbs*
467 Single dose disposition of chloroquine in kwashiorkor and normal children—evidence for decreased absorption in kwashiorkor: *O. Walker, A. H. Dawodu, L. A. Salako, G. Alvan & A. O. K. Johnson*

Short reports
473 Excretion of chloroquine and desethylchloroquine in human milk: *F. A. Ogunbona, C. O. Onyeji, O. O. Bolaji & S. E. A. Torimiro*
477 Plasma and whole blood mefloquine concentrations during treatment of chloroquine-resistant falciparum malaria with the combination of mefloquine–sulphadoxine–pyrimethamine: *Juntra Karbwang, Sornchai Looareesuwan, R. E. Phillips, Yupaporn Wattanagoon, M. E. Molyneux, Bussurin Nagachinta, D. J. Back & D. A. Warrell*
482 Evidence for polymorphic oxidation of sparteine in Japanese subjects: *T. Ishizaki, M. Eichelbaum, Y. Horai, K. Hashimoto, K. Chiba & H. J. Dengler*
486 Adenosine-induced respiratory stimulation in man depends on site of infusion. Evidence for an action on the carotid body?: *A. H. Watt, P. G. Reid, M. R. Stephens & P. A. Routledge*

491 Placental transfer of flunitrazepam following intramuscular administration during labour: *Jussi Kanto, Risto Erkkola, Lauri Kangas & Yrjö Pitkänen*

495 Sorbinil pharmacokinetics in male and female elderly volunteers: *A. K. Scott, J. Webster & J. C. Petrie*

Number 5, May 1987

Review article

499 The pressor dose-response in clinical cardiovascular pharmacology: *D. J. Sumner & H. L. Elliott*

Papers

505 A pragmatic approach to the pressor dose-response as an index of vascular reactivity and adrenoceptor function in man: *D. J. Sumner, H. L. Elliott, J. Vincent & J. L. Reid*

511 Adimolol, a long acting β-adrenoceptor blocker in man: *H. L. Elliott, C. R. Jones, N. M. Deighton, P. A. Meredith & J. L. Reid*

523 Effects of indomethacin and (±)-propranolol on the cardiovascular and renin responses to vasoactive intestinal polypeptide (VIP) infusion in man: *R. J. Unwin, T. Reed, S. Thom, J. Calam & W. S. Peart*

529 Captopril: 4 years of post marketing surveillance of all patients in New Zealand: *I. R. Edwards, D. M. Coulter, D. M. G. Beasley & D. MacIntosh*

537 Clinical pharmacology of a new antidepressant, Y-8894, in healthy young and elderly volunteers: *Chikara Ogura, Akira Kishimoto, Norifumi Kunimoto, Fumiaki Omura, Minoru Matsubayashi, Toshio Tsutsui & Masanori Shimizu*

545 Reduction of metformin renal tubular secretion by cimetidine in man: *A. Somogyi, C. Stockley, J. Keal, P. Rolan & F. Bochner*

553 Effect of rifampicin on haem and bilirubin metabolism in man: *K. E. McColl, G. G. Thompson, E. El Omar, M. R. Moore, B. K. Park & M. J. Brodie*

561 Pharmacokinetics of intravenous and oral sodium 2-mercapto-ethane sulphonate (mesna) in normal subjects: *C. A. James, T. G. K. Mant & H. J. Rogers*

569 Interaction of mixed micelles formed from glycocholic acid and lecithin with the protein binding of various drugs: *T. W. Guentert, S. Øie, L. Paalzow, B. M. Frey, R. Brandt, L. J. Aarons & M. Rowland*

579 The oral retention and antiplaque efficacy of triclosan in human volunteers: *R. J. Gilbert & P. E. O. Williams*

Short report

585 Ibopamine (SK&F 100168) pharmacokinetics in relation to the timing of meals: *S. C. Scott, J. Locke-Haydon, N. S. Pready, N. P. Buller & R. J. Cregeen*

Letters to the Editors

589 Non-bioequivalence of sublingual nifedipine: *N. Rietbrock, M. Kausch, M. Engelhardt & B. G. Woodcock*

591 Pharmacokinetics of midazolam: *J. W. Dundee*

592 Pharmacokinetics of midazolam—a reply: *U. Klotz*

593P Proceedings of the British Pharmacological Society (University of London, 17–19 December 1986)

Number 6, June 1987

Review article

655 Variations in response to non-steroidal anti-inflammatory drugs: *R. O. Day & P. M. Brooks*

Lilly Prize Lecture, University of London, December 1986

659 On assuring pharmacotherapeutic progress in the 21st century: *L. Lasagna*

Papers

667 ORG 10172: A low molecular weight heparinoid anticoagulant with a long half-life in man: *I. D. Bradbrook, H. N. Magnani, H. C. T. Moelker, P. J. Morrison, J. Robinson, H. J. Rogers, R. G. Spector, T. Van Dinther & H. Wijnand*

677 Oral nafazatrom in man: effect on inhaled antigen challenge: *R. W. Fuller, N. Maltby, R. Richmond, C. T. Dollery, G. W. Taylor, W. Ritter & E. Philipp*

683 Some observations on the effects of a calcium channel blocker, nitrendipine, in early human pregnancy: *M. R. Lawrence & F. Broughton Pipkin*

693 Pharmacokinetics and pharmacodynamics of nifedipine infusion in normal volunteers: *T. J. Walley, A. M. Heagerty, K. L. Woods, R. F. Bing, J. E. F. Pohl & D. B. Barnett*

703 Intravenous midazolam: a study of the degree of oxygen desaturation occurring during upper gastrointestinal endoscopy: *G. D. Bell, P. A. Reeve, M. Moshiri, A. Morden, T. Coady, P. J. Stapleton & R. F. A. Logan*

709 Influence of age, sex and body weight on the

dapsone acetylation phenotype: *P. A. Philip, S. L. Gayed, H. J. Rogers & P. Crome*
715 Plasma antipyrine half-life can be determined from urine data: *J. O. Atiba, G. Taylor, R. A. Pershe & T. F. Blaschke*
721 Paracetamol interaction with oral contraceptive steroids: increased plasma concentrations of ethinyloestradiol: *S. M. Rogers, D. J. Back, P. J. Stevenson, S. F. M. Grimmer & M. L'E. Orme*
727 Intestinal metabolism of ethinyloestradiol and paracetamol *in vitro*: studies using Ussing chambers: *S. M. Rogers, D. J. Back & M. L'E. Orme*
735 Food increases the bioavailability of propafenone: *J. E. Axelson, G. L.-Y. Chan, E. B. Kirsten, W. D. Mason, R. C. Lanman & C. R. Kerr*
743 The paradoxical effect of cimetidine and ranitidine on glibenclamide pharmacokinetics and pharmacodynamics: *R. T. Kubacka, E. J. Antal & R. P. Juhl*
753 Pharmacokinetics of erythromycin in patients with severe cirrhosis. Respective influence of decreased serum binding and impaired liver metabolic capacity: *J. Barre, A. Mallat, J. Rosenbaum, L. Deforges, G. Houin, D. Dhumeaux & J.-P. Tillement*
759 Lack of influence of cigarette smoking on triazolam pharmacokinetics: *H. R. Ochs, D. J. Greenblatt & E. S. Burstein*

Short reports
765 Effect of prostacyclin on the perfusion pressure and on the vasoconstrictor response of angiotensin II in the human isolated foetal placental circulation: *R. Soares de Moura*
769 The effects of propranolol and metoprolol on skin blood flow in diabetic patients: *S. L. Hyer, D. Taylor, J. Barham, J. Wilson, J. Shaw & F. P. Vince*
772 Specificity of the inhibitory effect of dextropropoxyphene on oxidative drug metabolism in man: effects on theophylline and tolbutamide disposition: *R. A. Robson, J. O. Miners, A. G. Whitehead & D. J. Birkett*
776 Cyclosporin—erythromycin interaction in normal subjects: *D. J. Freeman, R. Martell, S. G. Carruthers, D. Heinrichs, P. A. Keown & C. R. Stiller*

Letters to the Editors
779 Famotidine does not affect indocyanine green disposition and serum bile acid levels in healthy subjects: *R. Testa, A. Grasso, F. Dagnino, R. Ibba, G. Varagona & G. Celle*
781 FG 7142 and its anxiety-inducing effects in humans: *R. Dorow*

Indexes
783 Author and subject indexes to Volume 23

Supplement 1 to Volume 23, 1987
Antihypertensive therapy with a combination of captopril and hydrochlorothiazide

3S Introduction: *A. Breckenridge*
5S Factors in the choice of antihypertensive therapy: *A. Breckenridge*
9S Quality of life during antihypertensive therapy: techniques for clinical assessment and evaluation: *M. A. Testa*
15S Rationale for combination therapy: *L. Hansson*
21S The importance of the response of the renin-angiotensin system in determining blood pressure changes with sodium restriction: *G. A. MacGregor*
27S Evolution of diuretics and ACE inhibitors, their renal and antihypertensive actions—parallels and contrasts: *A. F. Lant*
43S Captopril and hydrochlorothiazide: rationale for their combination: *E. Ambrosioni, C. Borghi & F. V. Costa*
51S Pharmacokinetics and biological effects of captopril and hydrochlorothiazide after acute and chronic administration either alone or in combination in hypertensive patients: *J. F. Giudicelli, C. Richer & A. Mattei*
65S Determination of the optimal dosage regimen of captopril + hydrochlorothiazide in the treatment of moderate arterial hypertension: *D. Steru, M. Childs, S. Lancrenon, J. M. Languillat, A. Mattei, B. Millet, A. Schwebig & A. Stephan*
71S Comparison of once and twice daily administration of captopril plus hydrochlorothiazide on 24 h blood pressure levels: *L. Poggi, B. Vaisse, F. Bernard, J. Drivet-Perrin & R. Sambuc*
77S Captopril + hydrochlorothiazide 24 h ambulatory monitoring effects: *R. G. Asmar, B. M. Pannier, Ch. J. Hugue, St. Laurent, A. Safavian & M. E. Safar*
83S Captopril plus hydrochlorothiazide once daily normalizes 24 h blood pressure in patients with essential hypertension: *J. L. Meijer, H. G. Ardesch, J. C. Van Rooijen & J. H. B. De Bruijn*
89S Comparative study of once-daily administration of captopril 50 mg, hydrochlorothiazide 25 mg and their combination in mild to moderate hypertension: *J. G. Kayanakis & L. Baulac*
93S Captopril in combination with hydrochlorothiazide: comparative efficacy *vs* perceived best therapy: *H. Holzgreve, K. Osterkorn & J. Runge*
103S Concluding remarks: *H. R. Brunner*